



94 MBV SERIES

MINI BALL VALVE

Job Name:	Contractor:
Job Location:	P.O. Number:
Engineer:	Representative:
Tag:	Wholesale Distributor:

DESCRIPTION


The 94MBV Series is a light duty two-piece forged brass full port ball valve designed for water, oil or gas in commercial and light industrial applications.

FEATURES

- Reversible Handle
- Various Connection Options
- Rugged Forged Construction
- Blow Out Proof Stem
- Large Raised Wrench Flats
- Chrome Plated Brass Ball
- Double O-Ring Leak Protection
- Optimum Flow Rate



DIMENSIONS



Model Number	Size	Dimensions			Port Ø	Wt. (Lbs.)
		A	B	C		
94MBV01	1/4" FNPT x 1/8" MNPT	1.96	1.25	1.67	0.31	0.19
94MBV02	1/4" FNPT x 1/4" MNPT	2.04	1.15	1.67	0.31	0.20
94MBV03	1/4" FNPT x 1/4" FNPT	1.63	1.28	1.67	0.31	0.17
94MBV04	1/8" FNPT x 1/8" MNPT	1.97	1.20	1.67	0.31	0.16
94MBV05	1/8" FNPT x 1/8" FNPT	1.61	1.23	1.67	0.31	0.16

PERFORMANCE RATING

- Maximum Pressure: 600 psi @ 100°F
- Temperature Range: -40°F-300°F

MATERIAL

Handle Nut	Brass plated Steel
Handle	Zinc Plated Steel w/ Vinyl
Packing Nut	Brass
O-Ring	Fluorocarbon
Body	Forged Brass
Seats	TFE
Ball	Chrome Plated Brass
Retainer	Forged Brass
Stem	Brass

APPROVALS

- CSA/ANSI Z21.15 (1/2 psi), CGA 9.1
Manually Operated Gas Valves for Appliances
- ASME B16.44 (2 and 5 psi)
Manually Operated Metallic Gas Valves for Use in Above Ground Piping Systems up to 5 PSI



Conbraco Industries, Inc. 701 Matthews Mint Hill Rd. Matthews NC 28106 USA; www.apollovalves.com; 704-841-6000

This specification is provided for reference only. Conbraco reserves the right to change any portion of this specification without notice and without incurring obligation to make such changes to Conbraco products previously or subsequently sold.